## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.





# W. B. CLARKE & SON

SAN JOSE, CALIFORNIA



P. O. Box 343

Phone Ballard 1776

November 15, 1927

# LIST 2719

THIS LIST COVERS STOCK OFFERED BY

# CLARKE NURSERY CO.

SAN JOSE, CALIF. SEASON 1927-1928

### PLEASE NOTE

All summer quotations not accepted to date are hereby cancelled. TERMS. To buyers of known or established credit, 60 days from date of invoice. Otherwise cash with order or 25% with order, balance C. O. D.

GRADING. Plants that are wider than they are tall are graded

by width.

QUANTITIES. Five or more plants of one kind and size will be supplied at 10 rate; 50 or more at 100 rate; 500 or more at 1000 rate.

POTS. Prices on pot grown stock do not include the pots and unless otherwise instructed plants will be removed from pots before shipping. If wanted in the pots they will be charged for at cost, but can be returned if desired and credit will be given.

PACKING. Will be charged for at cost as usual. Plants will be packed to secure lowest possible freight classification consistent with

the nature of goods shipped.

SHIPPING. Our responsibility ceases when goods are delivered to transportation company in good order. They travel at buyer's risk. Please state distinctly whether you wish goods shipped by freight or express and where water shipment is possible be sure to specify by water or rail as you may prefer.

NOMENCLATURE. All plant names, both botanical and common, have been revised to conform with 1923 edition of "Standardized Plant Names," if listed in that book. The only exceptions are a few uncommon items and novelties which that work does not include, and the addition of a few common names widely used on the Pacific Coast. This standardized nomenclature should unquestionably be followed by everyone from now on.

This list covers items of which we now have a fairly good supply unsold. Many other things can be furnished in moderate quantities and quotations will be made on request. So if you want any ornamental stock not listed here write us about it.

This list is for the trade only and all prices are strictly net.

We are members of CALIFORNIA ASSOCIATION OF NURSERYMEN

### NOVELTIES

Special attention is called to the following novelties and specialties. Prices will be found in the body of the price list.

#### CONIFERS

- CHAMAECYPARIS lawsoniana stewarti. Our best golden-hued conifer. All winter when Golden Arbor Vitaes lose their color this is at its brightest.
- CHAMAECYPARIS lawsoniana wisseli. WISSEL CYPRESS. Growth narrow and erect. Color sage or blue green. Foliage moss like. Rare and beautiful.
- CUPRESSUS glabra stricta. A chance seedling. Growth much like Italian Cypress but becomes thicker at base. Color bright silvery blue. All plants offered are grafted, hence uniform.
- CUPRESSUS sp. SILVERSPRAY CYPRESS. An interesting and beautiful Cypress with strongly drooping branches. Foliage glaucous. If main stem is kept staked it appears like a living fountain. Very fine. Species not known.
- PINUS armandi. ARMAND PINE.
  - A new pine from China said to attain large size. Growth here seems practically dwarf. Its long silvery needles and odd habit give it great value for rockwork, Japanese Gardens and as a pot plant of very unusual appearance.
- THUJA orientalis beverleyensis. Not a novelty, but still far from common. Growth erect and slender. Color vivid gold except in winter. As it does not sunburn it is entirely supplanting the old Thuja aurea conspicua to which it is superior in every way.

### BROAD LEAVED EVERGREENS

- PYRACANTHA crenulata flava. A new Firethorn having lemon yellow berries which color early. Very distinct from older sorts.
- PYRACANTHA kansuensis. Has the smallest leaves and smallest berries of all the Firethorns which gives it a graceful appearance lacking in other kinds. Bears a profuse crop of orange yellow berries coloring about Nov. 1st.
- VIBURNUM rhytidophyllum. Has been in the trade for several years but still very little known. Striking appearance mainly due to the long heavy, wrinkled leaves. Flowers freely and bears red berries turning black when dead ripe.

### FLOWERING FRUIT TREES

As a class these are about the most charming and beautiful trees that can adorn a garden. They are all beauties. We call particular attention to:

- CHERRY Prunus campanulata. Described in price list. Truly a wonder.
- CHERRY "Park Weeping." Much superior to the old "Weeping Roseflowering Cherry," whose flowers are too pale.
- PEACH. Weeping Varieties. Genuine novelties and extremely scarce. They are top worked on peach stems.

#### DECIDUOUS TREES

- CRATAEGUS Carrieri. A medium size tree with rich dark green foliage. Its greatest beauty is in the berries which are extremely large, brilliant red and borne in clusters of 10 or 12.
- ROBINIA hispida macrophylla. This is probably the most beautiful flowering tree that can be grown in this country. It is far superior to the old "Rose Acacia," which is beautiful enough. The flowers are the size and shape of sweet peas, borne in large clusters and a lovely shade of soft pink. Top grafted it makes a fine round headed tree or budded low a handsome shrub.
- ROBINIA kelseyi. Erect quick growing small tree. Bears a profusion of reddish purple flowers.
- ROBINIA pseudacacia decaisneana. PINK LOCUST. Not at all a novelty in California where it is well known and widely used. Mentioned here to attract the attention of nurserymen elsewhere as it seems to be little known outside the state. It resembles the Common Black Locust in most respects but is of even faster growth, has fewer thorns and the clustered flowers instead of being white are a fine pink.
- SALIX babylonica annularis. Ringleaf Weeping Willow. Not new but rare. Growth more erect than Common Weeping Willow but with same drooping branches as it attains age. Its marked characteristic is the shape of the leaves. Each one is curled into a complete circle or ring giving the tree a most unusual and attractive appearance.

#### DECIDUOUS SHRUBS

FORSYTHIA intermedia spectabilis. Far ahead of all the older Forsythias. Will outbloom any of them two to one. The color is a deep golden yellow, not pale like most. Further, it has long erect shoots which are covered with flowers the second year. Not only a fine garden shrub but should be very valuable for those who grow for the florist trade.

LILACS. We have specialized in Lilacs since we started and have one of the very best commercial collections in the country. We have dropped all but the best of the older sorts, as the new ones are so superior. In the Spring of 1926 we introduced 12 new kinds and this season are offering 10 more for the first time. These are the latest European novelties. Both sets include several of the new "Early Flowering Lilacs," a distinct race which flower 2 or 3 weeks ahead of the ordinary kind. A marked feature of many of these new kinds is their great vigor. There is no use of being satisfied with inferior sorts, 30 or 40 years old, when this magnificent collection is available.

#### CLIMBERS

- WISTERIA multijuga longissima. A form of the Japanese Wisteria with exceptionally long clusters. The first crop will usually run 3 ft. which increases to 4 ft. as the plants get stronger. Ultimately some 5 ft. clusters will develop and the old original vine has actually produced a few clusters which reached the startling length of 6 ft. This may sound exaggerated, but is not.
- WISTERIA. Mrs. McCullough. A distinct unknown variety. The color is a genuine deep purple which others are not, regardless of names. Clusters are short but full, finely formed and with very large individual flowers. First of all to bloom.
- WISTERIA. West Adams. So-called from the original vine growing at West Adams Nursery, Los Angeles. Mr. Nishida says the Japanese name is Cho-shun-fuji. It is a deep colored form of W. multijuga with clusters up to about 3 ft. long.

#### MISCELLANEOUS

HESPEROYUCCA whipplei. This is our native yucca whose enormous flower spikes lend so much beauty to the foothill region of the southern half of California. Is not long in coming into bloom. Flower spikes often 10 or 12 ft. tall with hundreds of flowers.

### CONIFERS

Unless otherwise noted all plants in this section will be balled at prices quoted.

	each rate	10 rate	100 rate
ADATICADIA !h.ito MONIZEVDIIZZI E	T-111	Take	Tan
4 in. pot, 6 to 8 in\$	.75	\$ .60	\$ .50
CEDRUS deodara DEODAR, HIMALAYA CEDAR			
4 to 5 ft	3.00	2.50	2.00
	2.50	2.00	1.75
2½ to 3 ft 2 to 2½ ft	2.25	1.75	1.50
2 to 2½ ft	2.00	1.50	1.25
1½ to 2 ft	1.50	1.25	.90
1 to 1½ ft	1.25	1.00	.75
3 in. pot, 4 to 6 in	.25	.20	.15
CHAMAECYPARIS lawsoniana, LAWSON CYPRESS			
6 to 7 ft	4.00	3.50	
6 to 7 ft	3.50	3.00	2.50
4 to 5 ft	3.00	2.50	2.00
4 to 5 ft	2.00	1.75	
lawsoniana alumi, SCARAB CYPRESS		- 12	
2½ to 3 ft	2.50	2.00	
2 to 2½ ft	2.00	1.50	1.25
1½ to 2 ft	1.50	1.25	1.00
1 to 1½ ft	1.25	1.00	.75
lawsoniana argentea, SILVER LAWSON CYPRESS			
4 to 5 ft	3.00 .	2.50	
4 to 5 ft	2:50	2.00	
	2.00	1.50	
lawsoniana coerulea glauca			
2½ to 3 ft	2.50	2.00	
2 to 2½ ft	2.00	1.50	
1½ to 2 ft	1.50	1.25	
lawsoniana erecta viridis, GREEN COLUMN CYPRI	ESS		
2½ to 3 ft	2.50		
2 to 2½ ft	2.00	1.50	
146 to 2 ft	1.00	1.25	
1 to 1½ ft	1.25	1.00	

	each rate	10 rate	100 rate
CHAMAECYPARIS—Continued	Tau	race	Tate
lawsoniana minima 12 to 15 in	1.50	1.25	
8 to 12 in	1.25	1.00	
lawsoniana Silver Queen			
4 to 5 ft	$\frac{3.00}{2.50}$	$\frac{2.50}{2.00}$	1.75
2½ to 3 ft	2.00	1.75	1.50
2 to 2½ ft	1.75 1.50	$1.50 \\ 1.25$	
1 to 1½ ft	1.25	1.00	
lawsoniana stewarti			
1½ to 2 ft	$\frac{2.00}{1.50}$	$\frac{1.50}{1.25}$	1.00
8 to 12 in	1.25	1.00	.85
lawsoniana Triomphe de Boskoop			
4 to 5 ft	3.00	2.50	
3 to 3½ ft	$\frac{2.50}{2.00}$	$\frac{2.00}{1.75}$	
1½ to 2 ft	1.50	1.25	
lawsoniana wisseli, WISSEL CYPRESS			
3 to 3½ ft 2 to 2½ ft	4.00 3.00		
1½ to 2 ft	2.50	2.00	
1 to 1½ ft	$\frac{2.00}{1.50}$	$\frac{1.50}{1.25}$	
		1.20	
pisifera plumosa aurea, GOLDENPLUME CYPRES		1.50	
1 to 1½ ft	1.25	1.00	
8 to 12 in	1.00	.75 .60	
CRYPTOMERIA japonica elegans, PLUME CRYPTOMER			
2½ to 3 ft	2.00	1.50	
2 to 2½ ft	$\frac{1.50}{1.25}$	$\frac{1.25}{1.00}$	
CUPRESSUS arizonica, ARIZONA CYPRESS			
1 gal, can 4 to 5 ft	1.00	.75	
1 gal. can 2 to 3 ft	.75 .50	.50 .40	.35
5 in. pot, 2 to 2½ ft	.40	.35	.30
5 in. pot, 1 to 1½ ft	35	.30	.25
glabra stricta (new) 7 to 8 ft	5.00		
6 to 7 ft	4.00	0.00	
5 to 6 ft	$\frac{2.50}{2.00}$	$\frac{2.00}{1.50}$	
3 to 4 ft	1.50	1.25	
2 to 3 ft	$\frac{1.25}{1.00}$	1.00 .75	.50
macrocarpa, MONTEREY CYPRESS			
5 in. pot, 5 to 6 ft	.75	.60	.50
4 and 5 in. pots, 3 to 4 ft. 4 in. pot, 2 to 3 ft.	50	.50 .40	.40
		.30	.25
sempervirens stricta, COLUMNAR ITALIAN CYPR 9 to 10 ft	ESS 6.00	5.00	
8 to 9 ft	5.00	4.00	
7 to 8 ft	4.00 2.00	3.00 1.50	1.25
4 to 5 ft	1.50	1.25	1.00
3 to 4 ft	$\frac{1.25}{1.00}$	1.00 .75	.75 .65
4 in, pot. 2 to 2½ ft	.50	.40	.30
4 in. pot, 1½ to 2 ft	.40 .35	.30 .25	.25 $.20$
2½ in. pot, 1 to 1½ ft	.30	.20	.15
sp. SILVERSPRAY CYPRESS (grafted)			
10 to 12 ft 8 to 10 ft	6.00 5.00	4.00	
2 to 3 ft	2.50	2.00	
1 to 2 ft	2.00	1.50 .60	,50
		.00	100

HIMPERIO	each rate	10 rate	100 rate
JUNIPERUS communis hibernica, IRISH JUNIPER  3½ to 4 ft	3.00 2.50 2.00	2.50 2.25 1.50	2.00
sabina, SAVIN JUNIPER  2 to 2½ ft	2.50	2.00	
1½ to 2 ftvirginiana kosteriana, KOSTER REDCEDAR 4 to 5 ft	5.00	1.50 4.00	
3 to 4 ft	4.00	3.50	
PINUS armandi, ARMAND PINE 1½ to 2 ft	1.25	1.00	
1 to 1½ ft	1.00	.75 .50	
5 in. pot, 12 to 15 in	.60	.50	
5 in. pot, 8 to 12 in	.50	.40	.25
concriencia CANADY DINE	*10		120
canariensis, CANARY PINE 5 in. pot, 3 to 4 ft	.75	.60	
5 in. pot, 2 to 3 ft	.60	.50	.40
5 in. pot, 1½ to 2 ft	.50	.40 .30	.30 .25
	•40	.00	.20
ponderosa, WESTERN YELLOW PINE	.50	.40	.30
5 in. pot, 15 to 18 in	.40	.30	.25
5 in. pot, 8 to 12 in	.30	.25	.20
radiata, MONTEREY PINE			
5 in. pot, 3 to 4 ft	.75	.60	.50
5 in. pot, 2 to 3 ft	.60	.50	.40
RETINOSPORA—See THUYA			
SEQUOIA sempervirens, REDWOOD			
5 and 6 in. pots, 2 to 2½ ft	.75	.50	.40
5 and 6 in. pots, 2 to 2½ ft	.60	.40	.30 .25
	.00	*00	.10
TAXUS baccata fastigiata, IRISH YEW 2 to 2½ ft	4.00	3.75	
1½ to 2 ft	3.00	2.75	
1 to 1½ ft	2.00	1.75	
THUJA occidentalis ericoides, HEATH RETINOSPORA			
1 to 1½ ft 8 to 12 in	1.00	.75	
8 to 12 in	.75	.60 .50	
occidentalis pyramidalis, AMERICAN PYRAMIDAL			
1½ to 2 ft	1.50	1.25	
1 to 1½ ft	1.00	.75	.60
	.75	.60	.50
orientalis aurea nana, BERKMAN'S GOLDEN ARI		2.00	1.75
18 to 20 in	2.00	1.75	1.50
15 to 18 in	1.50	1.25	
12 to 15 in	1.25 $1.00$	1.00 .85	.75
8 to 10 in	.85	.75	.65
orientalis beverleyensis			
2½ to 3 ft	3.00	2.50	
2 to 2½ ft	$\frac{2.50}{2.00}$	$\frac{2.00}{1.50}$	1.25
1 to 1½ ft	1.50	1.25	1.00
orientalis sieboldi (Retinospora sieboldi), SIEBOLD	ARBO	DRVITAE	
2½ to 3 ft	1.50	1.25	

## BROAD LEAVED EVERGREENS

Unless otherwise noted all plants in this section will be balled at prices quoted.

Unless otherwise noted all plants in this section will be	balled a	t prices	quoted.
	each	10	100
A DELTA CI OCCAN A DELLA	rate	rate	rate
ABELIA grandiflora, GLOSSY ABELIA 4 to 5 ft\$	1.50	\$1.25	\$1.00
3 to 4 ft		1.00	.75
2 to 3 ft	1.00	.75	.60
1½ to 2 ft	.75	.60	.50
1 to 1½ ft	.60	.50	.40
ACACIA armata, KANGAROO THORN			
4 in. pot, 6 to 7 ft	1.00	.75	
4 in. pot, 5 to 6 ft	.75	.60	.50
4 in. pot, 4 to 5 ft	.60	.50	.40
4 in. pot, 3 to 4 ft	.50 .40	.40 .30	.30 .25
4 in. pot, 2 to 3 ft	.30	.25	.20
4 in. pot, 1 to 1½ ft	.25	.20	.18
baileyana, COOTAMUNDRA WATTLE	2.00	1 50	1.05
1 gal. can, 7 to 8 ft		$\frac{1.50}{1.25}$	1.25 1.00
	1.00	.75	1.00
5 in. pot, 3 to 4 ft	.75	.60	
5 in. pot, 2 to 3 ft	.60	.50	
cultriformis, KNIFE ACACIA			
4 and 5 in. pot, 4 to 5 ft	.60	.50	.40
4 and 5 in. pot, 3 to 4 ft	.50	.40	.30
4 and 5 in. pot, 2 to 3 ft	.40	.30	.25
decurrens dealbata (mollissima), SILVER WATTLE	1 00	77	co
5 in. pot, 8 to 9 ft	.75	.75 .60	.60 .50
5 in. pot, 5 to 6 ft	.60	.50	.40
5 in. pot, 4 to 5 ft	.50	.40	.35
4 in. pot, 3 to 4 ft	.40	.35	.30
latifolia, BROADLEAF ACACIA			
5 in. pot, 7 to 8 ft	.75	.60	.50
5 in. pot, 5 to 6 ft	.60	.50	.40
melanoxylon, BLACKWOOD ACACIA	~_		- 00
4 in. pot, 3 to 4 ft	.50 .40	.40	.30 .25
	.40	.30	.20
neriifolia (floribunda), BALD ACACIA 4 in. pot, 4 to 5 ft	.60	.50	.40
4 in. not. 3 to 4 ft	.50	.40	.30
4 in. pot, 2 to 3 ft	.40	.30	.25
verticillata, STAR ACACIA			
5 in. pot, 6 to 8 ft	1.00	.75	.60
4 in. pot, 5 to 6 ft	.75	.60	.50
4 in. pot, 4 to 5 ft	.60 .50	.50 .40	.40 .30
4 in. pot, 2 to 3 ft	.40	.30	.25
1 111 200, 2 00 0 1000000000000000000000	• • • • • • • • • • • • • • • • • • • •	.00	.20
ARBUTUS menziesi, MADRONE			
5 in. pot, 1½ to 2 ft	1.25	1.00	.75
5 in. pot, 1 to 1½ ft	1.00 .75	.65 .50	.50 .40
4 in. pot, 6 to 8 in	.50	.40	.35
Who do CODAWDEDBY TOPE			
4 to 5 ft.	2.00	1.50	
3 to 4 ft	1.50	1.25	1.00
2 to 3 ft	1.25	1.00	.75
1½ to 2 ft	1.00	.75	.60
AUCUBA japonica, JAPANESE AUCUBA			
5 in. pot, 8 to 12 in	.50	.40	
japonica variegata, GOLDDUST AUCUBA			
15 to 18 in	1.25	1.00	
12 to 15 in	1.00	.75	
BERBERIS darwini, DARWIN BARBERRY			
4 to 5 ft	1.50	1.25	
3 to 4 ft	1.25	1.00	.75
2 to 3 ft	1.00	.75	.60
1½ to 2 ft	.75	.60	.50
1 to 1½ ft	.60 .40	.50 .30	.40 .25
4 in. pot, 8 to 12 in	.35	.25	.20
* //			

Purphy a de la	each rate	10 rate	100 rate
BERBERIS—Continued viridis 2 to 3 ft	1.25	1.00	
wilsonae, WILSON BARBERRY			4 00
3 to 4 ft	1.50	1.25	1.00
2 to 3 ft	$\frac{1.25}{1.00}$	.90 .70	.75 .60
1 to 1½ ft	.75	.60	.50
8 to 12 in	.65	.50	.40
4 in. pot, 1½ to 2 ft	.50	.35	.30
4 in. pot, 1 to 1½ ft	.40	.30	.25
3 in, pot, 1 to 1½ ft	.25	.20	.15
BUDDLEIA davidi superba, JUNO BUTTERFLYBUSH 5 in. pot, 2 to 3 ft	.40	.35	
farquhari 5 in. pot, 5 to 6 ft	.60	.50	.40
lindleyana, LINDLEY BUTTERFLYBUSH			
5 in, pot, 3 to 4 ft	.75	.50	.40
BUXUS sempervirens, COMMON BOX Globes			
12 to 15 in	1.25	1.00	
8 to 12 in	1.00	.75	
6 to 8 in	.75	.50	
Pyramids			
26 to 30 in	2.50	2.00	
24 to 26 in	2.00	1.75	
20 to 24 in		1.50	
18 to 20 in	1.50	1.25	
16 to 18 in	1.25	1.00	
CALLISTEMON rigidus, BOTTLEBRUSH 2 to 3 ft	.75	.60	.50
Assorted			
4 in. pot, 3 to 4 ft	.50	.40	.35
4 in. pot, 2 to 3 ft	.40	.30	.25
Varieties			
coccineus phoenicius	3		
Hybrids, mixed rigidus linearis robustus			
inicaris			
CAMELLIA japonica, CLARKE DOUBLE RED			
4 in. pot, 15 to 18 in	1.50	1.25	
4 in. pot, 8 to 12 in	1.00	.75	
4 in. pot, 6 to 8 in	.75	.60	
Mixed (no seedlings)	0.50	0.00	
6 in. pot, 2 to 2½ ft	2.00	$\frac{2.00}{1.50}$	
6 in. pot, 1 to 1½ ft	1.50	1.25	
, m, po, 1 00 1/2 10	2.00	11110	
CEANOTHUS arboreus hybridus			
4 in. pot, 2 to 3 ft	,50	.40	
spinosus	0.0		40
4 in. pot, 3 to 4 ft	.60	.50	.40
4 in. pot, 2 to 3 ft	.50	.40	.30
thyrsiflorus, BLUEBLOSSOM 4 in. pot, 3 to 4 ft 4 in. pot, 2 to 3 ft	CO	F0	
4 in pot 2 to 3 ft	.60 .50	.50 .40	
4 in. pot, 1½ to 2 ft	.40	.30	
CERATONIA siliqua, CAROB			
5 in. pot, 1½ to 2 ft	.50	.40	
CHOISYA ternata, MEXICAN-ORANGE			
2 to 3 ft	1.25	1.00	
1 to 1½ ft	.75	.60	.50
8 to 12 in	.60	.50	.40
CISTUS albidus, WHITELEAF ROCKROSE			
4 in, pot. 2 to 3 ft	.40	.30	.25
4 in. pot, 1½ to 2 ft	.30	.25	.20
4 in. pot, 1 to 1½ ft	.25	.20	.18
COPROSMA baueri, CORAL COPROSMA			
4 and 5 in. pot. 1 to 1½ ft	.40	.30	.25
3 in. pot, 4 to 6 in	.25	.20	.15

	each	10	100
COPONILLA SISSES HONEY COPONILLA	rate	rate	rate
CORONILLA glauca, HONEY CORONILLA 4 in, pot, 3 to 4 ft	.60	.50	.40
4 in. pot, 2 to 3 ft	.50	.40	.30
4 in. pot, 1½ to 2 ft	.30	.30 .25	.25 .20
3 in. pot, 1 to 1½ ft	.25	.20	.15
COTONEASTER dielsiana, DIEL'S COTONEASTER 4 in. pot, 2 to 3 ft	.40	.30	.25
dielsiana elegans (schneideri) 2 to 3 ft	1.00	.65	.60
1½ to 2 ft	.75	.50	.45
1 to 1½ ft	.60	.45 .40	.40
4 in. pot, 1½ to 2 ft	.40	.30	.25
4 in. pot, 1 to 1½ ft	.30	.25 .20	.20 .18
francheti, FRANCHET COTONEASTER	.20	•20	•10
3 to 4 ft	1.25	1.00	.75
1½ to 2 ft.	1.00 .75	.75 .60	.60 .50
4 in, pot, 2 to 2½ ft	.50	.40	.30
4 in. pot, 1½ to 2 ft	.40	.30 .25	.25
3 in. pot, 8 to 12 in	.25	.20	.18
frigida, HIMALAYAN COTONEASTER	0.00	1 50	1.05
8 to 10 ft	$\frac{2.00}{1.50}$	$1.50 \\ 1.25$	$\frac{1.25}{1.00}$
3 to 4 ft	1.25	1.00	
gracilis 3 in. pot, 1 to 1½ ft	.50	.40	
harroviana (new)			4.05
4 to 5 ft., berried	$\frac{2.50}{2.00}$	$\frac{1.50}{1.25}$	$\frac{1.25}{1.00}$
4 to 5 ft., not berried	2.00	1.25	1.00
3 to 4 ft	$1.50 \\ 1.25$	1.00 .85	.90 .75
5 in. pot, 2½ to 3 ft	.75	.50	.40
4 in. pot, 2 to 3 ft	.60	.40	.30
4 in. pot, 1½ to 2 ft	.50 .30	.30 .25	.25
2½ in. pot, 1½ to 2 ft	.25	.20	.15
horizontalis, ROCK COTONEASTER 2 to 3 ft	1.25	1.00	-75
1½ to 2 ft	1.00	.75	.75
1 to 1½ ft	.75	.60	.50
8 to 12 in	.60 .50	.50 .40	.35
4 in. pot, 1½ to 2 ft	.40	.35	.30
4 in. pot, 8 to 12 in	.35	.30	.25
microphylla, ROCKSPRAY 2 to 3 ft	1.25	1.00	
1½ to 2 ft	1.00	.75	.60
1 to 1½ ft 8 to 12 in	.75	.60 .50	.50
gallon can, 2 to 2½ ftgallon can, 1½ to 2 ft	1.00	.75	
gallon can, $1\frac{1}{2}$ to 2 ftgallon can, 1 to $1\frac{1}{2}$ ft	.75	.60 .50	
microphylla thymifolia, THYME ROCKSPRAY	•00	.00	
4 in. pot, 1 to 1½ ft	.50	.40	
pannosa, SILVERLEAF COTONEASTER 6 to 8 ft., berried	2.00	1.75	1.50
4 to 6 ft., berried	1.50	1.25	1.00
3 to 4 ft	$\frac{1.25}{1.00}$	.85 .70	.75
1½ to 2 ft	.75	.60	.50
4 in. pot, 3 to 4 ft	.50	.40	.35
4 in. pot, 2 to 3 ft	.40	.30 .20	.25
prostrata			
3 to 3½ ft	$\frac{1.50}{1.25}$	1.25 $1.00$	
1½ to 2 ft	1.00	.75	
salicifolia, WILLOWLEAF COTONEASTER	1 20	1.00	0.0
3 to 4 ft	1.50 .50	1.00 .40	.90
3 in. pot, 1 to 1½ ft	.40	.30	.20
2½ in. pot, 2 to 3 ft	.25	.20	.15

	each	10	100
COMPANY AND COMPANY OF A COMPAN	rate	rate	rate
COTONEASTER—Continued simonsi, SIMON'S COTONEASTER			
4 to 6 ft., berried	1.25	1.00	
3 to 4 ft		.75	
2 to 3 ft		.60 .30	,25
			,
COTONEASTER—Standards—top gr	rafted		
apiculata 4 in. pot, 1 ft. stem, 1 yr. heads	.75	.60	
dielsiana elegans			
5 in. pot, 2 ft. stem, 2 yr. heads	1.25	1.00	
francheti			
balled, 4 ft. stem, 2 yr. head 5 in. pot, 3 ft. stem, 2 yr. head	1.75	1.00	
gracilis	7120	1.00	
5 in. pot, 2 ft. stem, 1 yr. head	1.00	.75	
harroviana		4 50	
balled, 3 ft. stem, 3 yr. head 5 in. pot, 5 ft. stem, 2 yr. head	$\frac{1.75}{2.00}$	$\frac{1.50}{1.75}$	
5 in. pot, 3 ft. stem, 2 yr. head	1.50	1.25	
5 in. pot, 4 ft. stem, 1 yr. head	1.50	1.25	
5 in. pot, 1 ft. stem, 1 yr. head	1.00	.75	
horizontalis balled, 2 ft. stem, 3 yr. head	1.50	1.25	
5 in. pot, 2 ft. stem, 2 yr. head		1.00	
5 in. pot, 2 ft. stem, 1 yr. head		.75	
microphylla	1.05		
5 in. pot, 3 ft. stem, 1 yr. head	1.25 $1.00$	1.00 .75	
4 and 5 in. pot, 2 ft. stem, 2 yr. head	1.25	1.00	
5 in. pot, 1 ft. stem, 2 yr. head	1.00	.75	
microphylla thymifolia	1.05	4-00	
4 in. pot, 2 ft. stem, 2 yr. head 5 in. pot, 1½ ft. stem, 2 yr. head	1.25	1.00	
5 in. pot, 3 ft. stem, 1 yr. head		1.00	
pannosa			
5 in. pot, 4 ft. stem, 2 yr. head 5 in. pot, 3 ft. stem, 2 yr. head	1.50	1.25	
5 in. pot, 1 ft. stem, 2 yr. head	1.25	1.00 $.75$	
5 in. pot, 3 ft. stem, 1 yr. head	1.00	.75	
praecox			
5 in. pot, 2 ft. stem, 1 yr. head	. 1.00	.75	
prostrata 5 in. pot, 3 ft. stem, 1 yr. head	1.25	1.00	
pyrenaica	1.40	1.00	
5 in. pot. 1 ft. stem. 2 vr. head	1.00	.75	
5 in. pot, 2 ft. stem, 1 yr. head	1.00	.75	~ ~
4 and 5 in. pot, 1 ft. stem, 1 yr. head	.75	.60	.50
salicifolia 4 in. pot, 3 ft. stem, 2 yr. head	1.50	1.25	
CYTISUS canariensis, CANARY BROOM 4 in. pot, 4 to 5 ft	.50	40	20
4 in. pot, 3 to 4 ft		.40 .30	.30
3 in. pot, 4 to 5 ft	.40	.30	,,,,,
3 in. pot, 3 to 4 ft		.25	
3 in. pot, 2 to 3 ft	.25	PROOM	
5 in. pot, 6 to 7 ft	.75	.50	.40
4 and 5 in. pot, 5 to 6 ft		.40	.30
multiflorus, WHITE SPANISH BROOM			
4 in. pot, 4 to 5 ft		.60 .40	
praecox, WARMINSTER BROOM	0	•40	
5 in. pot, 8 to 12 in	.50	.40	
sconarius, SCOTCH BROOM			
4 in. pot, 3 to 4 ft	50	.40	0.5
4 in, pot, 2 to 3 ft		$.30 \\ .25$	.25 .20
		.20	.40
DIOSMA ericoides, BREATH-OF-HEAVEN $1\frac{1}{2}$ to 2 ft	1.00	.75	
1 to 1½ ft		.60	
4 in. pot, 1½ to 2 ft	.50	.40	.35

	each rate	10 rate	100 rate
DIOSMA—Continued reevesi	50	40	95
4 in. pot, 1½ to 2 ft. 4 in. pot, 1 to 1½ ft.	.50	.30	.35 .25
ERICA mediterranea hybrida, DARLEY HEATH  1½ to 2 ft  1 to 1½ ft	1.00	.75 .60	
ERIOBOTRYA japonica, LOQUAT			
5 to 6 ft	$\frac{1.25}{1.00}$	1.25 1.00 .85 .75	.75 .60
1½ to 2 ft	.75 .50	.60 .40 .30	.50
ESCALLONIA montevidensis, MONTEVIDEO ESCALLON 5 in. pot, 8 to 12 in		.30	.25
sanguinea (bright red, very vigorous) 4 to 5 ft		1.00 .75	.60
2 to $3$ ft	.75	.60	.50
4 in. pot, 2 to 3 ft	.50 .40	.35 .30	.30 .25
2½ in. pot, 1 to 2 ft	.25	.20	.15
EUCALYPTUS leucoxylon rosea, PINK IRONBARK 5 in. pot, 6 to 7 ft	.75	.60	.50
5 in. pot, 4 to 6 ft	.60 .50	.50	.40
5 in. pot, 2 to 3 ft	.40	.30	.25
torquata (new, dwarf, coral red flowers) 4 in. pot, $1\frac{1}{2}$ to 2 ft	.50	.40	
EUONYMUS japonicus, EVERGREEN BURNINGBUSH	40	9.0	
4 in. pot, 1½ to 2 ft	.40 .35	.30 .25	
japonicus albovariegatus, SILVERSPOT BURNINGI	BUSH 1.00	.75	
2 to 3 ft	.75	.60	
1½ to 2 ft	.65 .50	.50	
4 in. pot, 8 to 12 in	.35	.25	.20
japonicus microphyllus albomarginatus, SILVER BO 8 to 12 in	0XLEA	F BURNI	NGBUSH
6 to 8 in	.50	.40	
GENISTA elatior 4 and 5 in. pot, 1 to 1½ ft	.40	.30	.25
GREVILLEA robusta, SILK-OAK 6 in. pot, 5 to 6 ft	1.00	.75	.60
6 in. pot, 4 to 5 ft	.75	.60	.50
4 and 5 in. pot, 2 to 3 ft	.65 .50	.50 .40	.40
HYPERICUM moserianum, GOLDFLOWER			0.5
4 in. pot, 1 to 1½ ft	.30	.30 .25	.25 .20
patulum henryi, HENRY HYPERICUM 4 in. pot, 3 to 4 ft	.50	.40	.30
4 in. pot, 2 to 3 ft	.40	.30	.25
ILEX aquifolium, ENGLISH HOLLY 4 in. pot, 8 to 12 in	.50	.40	.30
4 in. pot, 6 to 8 in	.40	.30	.25
aquifolium (Dutch Type) well berried 8 to 9 ft		.20	.20
7 to 8 ft	15.00		
6 to 7 ft	10.00		
4 to 5 ftaquifolium variegatum, VARIEGATED ENGLISH I			
4 in. pot, 8 to 12 in	.75	.60	
4 in. pot, 6 to 8 in	.60	.50	

TANDOGERAGUG WILLIAM CAROLINA CHERRY LAN	each	10	100
	rate	rate	rate
LAUROCERASUS caroliniana, CAROLINA CHERRY-LAU 4 in. pot, 12 to 15 in	.30	.25	.20
	.25	.20	.18
officinalis, ENGLISH CHERRY-LAUREL  5 to 6 ft	3.00 2.50 2.00 1.75 1.25 .75	2.50 2.00 1.50 1.50 1.00	.50
LEPTOSPERMUM laevigatum, AUSTRALIAN TEA-TREE 4 and 5 in. pot, 3 to 4 ft 4 in. pot, 2 to 3 ft	.50	.40	.30
	.40	.30	.25
	.30	.25	.20
LIGUSTRUM japonicum variegatum, GOLDEN JAPANES 3 to 4 ft	E PRI 1.25 1.00	IVET 1.00 .75	
ovalifolium variegatum, GOLDEN CALIFORNIA PR 6 to 8 ft		1.50 1.10 .85 .65 .50 .30 .25	1.00 .75 .50 .40 .25 .20
LONICERA nitida, BOX HONEYSUCKLE  2 to 3 ft	.75	.60	.50
	.60	.50	.40
	.50	.40	.30
	.40	.30	.25
	.35	.25	.20
	.25	.20	.18
MAHONIA aquifolium, OREGON HOLLYGRAPE  3 to 3½ ft	1.50	1.25	1.00
	1.25	1.00	.90
	1.00	.85	.75
	.75	.65	.50
bealei (japonica), LEATHERLEAF HOLLYGRAPE 5 in. pot, 12 to 15 in	.50	.40	.30
	.40	.30	.25
	.30	.25	.20
MELALEUCA decussata, LILAC MELALEUCA 4 in. pot, 2 to 2½ ft	.40	.30	.25
ericifolia, HEATH MELALEUCA 4 in. pot, 3 to 4 ft	.50	.40	.30
	.40	.30	.25
	.25	.20	.15
hypericifolia, DOTTED MELALEUCA 4 in. pot, 4 to 5 ft	.50	.40	.30
	.40	.30	.25
	.30	.25	.20
MYRTUS communis, TRUE MYRTLE  4 in. pot, 15 to 18 in	.40 .30 .25	.30 .25 .20	.20 .18
communis microphylla, ROSEMARY MYRTLE  4 in. pot, 1½ to 2 ft  4 in. pot, 1 to 1½ ft	.50 .40	.40 .30	,25
NANDINA domestica, NANDINA  4 to 5 ft	2.0 • 1.50 1.25 1.00 .75 .75 .60	1.75 1.25 1.00 .75 .60 .50	1.00 .75 .60 .50 .50
14 2	.50	***	.00

	each rate	10 rate	100 rate
NERIUM oleander, OLEANDER (Single Red) 3 to 4 ft	1.25 1.00	1.00 .75	
PHOTINIA arbutifolia, CHRISTMASBERRY, TOYON, CA.	1.00 .85 .75 .65 .50 .40	NIA HOLLY .85 .70 .60 .50 .40 .35 .30	.75 .60 .50 .40 .35 .30
glabra 2 to 3 ft	.75	.60	
serrulata, LOW PHOTINIA  4 to 5 ft	1.25 1.00 .75 .25	1.00 .75 .60 .20	.60 .15
PITTOSPORUM eugenioides, TARATA  5 to 6 ft	1.25 1.00 .90 .75 .65 .40	1.00 .90 .80 .60 .50 .30	.75 .65 .50
phillyraeoides, WILLOW PITTOSPORUM 5 in. pot, 5 to 6 ft	.75 .40 .30	.60 .30 .25	.25
tobira, TOBIRA 3 to 4 ft	1.25 1.00 .85	1.00 .75 .60	.75 .60
tobira variegatum, WHITESPOT TOBIRA  1 to 1½ ft	1.00	.75	.60
PRUNUS ilicifolia, HOLLYLEAF CHERRY  4 in. pot, 1 to 1½ ft	.40 .30 .25	.30 .25 .20	.25 .20 .18
4 in. pot, 2 to 2½ ft	.65 .50 .40 .30	.50 .40 .30 .25	.40 .30 .25 .20
PSIDIUM cattleianum, STRAWBERRY GUAVA 4 in. pot, 6 to 8 in	.30	.25	.20
PYRACANTHA angustifolia, NARROWLEAF FIRETHOR. 5 to 6 ft., berried	N 1.50 1.25 1.00 .85	1.25 1.00 .85 .70	1.00 .90 .75 .60
coccinea (lalandi seedlings), FIRETHORN  4 to 6 ft	1.50 1.25 .40	1.00 .75 .30	.90 .65 .25
coccinea lalandi (cuttings), LALAND FIRETHORN 3 to 4 ft	2.00 1.50 1.25 .60 .40	1.50 1.25 1.00 .50	1.25 1.00
crenulata, NEPAL FIRETHORN  4 to 6 ft	.35	1.25 1.00 .85 .40 .30 .25	1.00 .85 .75 .30 .25 .20

	each rate	10 rate	100 rate
PYRACANTHA—Continued crenulata flava (grafted)			
5 in. pot, 1½ to 2 ft	.75	.60	
5 in. pot, 1 to 1½ ft	.50	.40	
5 in. not. 2 to 3 ft	.60	.50	.40
4 in. pot, 1½ to 2 ft	.50	.40	.30
gibbsi 5 in. pot, 2 to 3 ft	.60	.50	,40
4 in. pot, 1½ to 2 ft	.50	.40	
kansuensis, KANSU FIRETHORN	.50	.40	.30
4 in. pot, 1½ to 2 ft	.40	.30	.50
4 in. pot, 8 to 12 in	.30	.25	
yunnanensis, YUNNAN FIRETHORN 8 in. pot, 4 to 6 ft	1.25	1.00	
4 and 5 in. pots, 4 to 5 ft		.75	.60
4 and 5 in. pots, 3 to 4 ft		.60 $.50$	.50 .40
4 in. pot, 1½ to 2 ft		.40	.30
QUERCUS agrifolia, CALIFORNIA LIVE OAK			
4 in. pot, 3 to 3½ ft	.75	.50	.40
4 in. pot, 2 to 3 it		.45	.35 .30
4 in. pot, 1 to 1½ ft	.40	.30	.25
4 in. pot, 8 to 12 in	.36	.25	.20
chrysolepis, GOLDEN CUP OAK 3 in. pot, 8 to 12 in	.30	.25	
RAPHIOLEPIS umbellata ovata, ROUNDLEAF YEDDO-			
4 in. pot, 1 to 1½ ft	.40	.30	.25
4 in. pot, 8 to 12 in		.25	.20
4 in. pot, 6 to 8 in	.25 .20	.20 .15	.18 .12
RHAMNUS californica, CALIFORNIA BUCKTHORN			
5 in. pot, 1 to 1½ ft	.35	.30	
	.30	.25	
SCHINUS molle, CALIFORNIA PEPPERTREE 6 in. pot, 6 to 8 ft	1.00	.75	.60
6 in. pot, 5 to 6 ft	.75	.60	.50
6 in. pot, 4 to 5 ft	.65	.50	.40
5 in. pot, 3 to 4 ft		.30	.30
5 in. pot, 1½ to 2 ft		.25	.20
SPARTIUM junceum, WEAVER'S BROOM, SPANISH B	ROOM		
4 in. pot, 2 to 3 ft		.25	.20
3 in. pot, 1½ to 2 ftjunceum nanum, DWARF SPANISH BROOM	35	.20	.15
4 in. pot, 2 to 2½ ft	.60	.50	
4 in. pot, 1½ to 2 ft	50	.40	
4 in. pot, 1 to 1½ ft		.30 .25	-
STRANVAESIA undulata 4 in. pot, 8 to 12 in	.40	.35	
TAXODIUM mucronatum, MONTEZUMA BALDCYPRES	SS		
4 in. pot, 1½ to 2 ft	60	.50	
		.40	
TRISTANIA conferta, BRISBANE BOX 5 in. pot, 4 to 5 ft	60	.50	.40
5 in. pot, 3 to 4 ft	50	.40	.30
5 in. pot, 2 to 3 ft	40	.30	.25
ULMUS parvifolia, EVERGREEN ELM gallon can, 5 to 6 ft	1.00	.75	.60
gallon can, 4 to 5 ft		.60	.50

	each rate	10 rate	100 rate
VERONICA cupressoides	Tate	Tate	Tave
1½ to 2 ft	1.00	.75	
1 to 1½ ft		.50	.40
10 to 12 in	.65	.40	.35
decussata, BLUE SPEEDWELL			
decussata, BLUE SPEEDWELL  2 to 3 ft	1.00	-75	.60
1½ to 2 ft	.75	.60	.50
1 to 1½ ft		.50	.40
4 in. pot, 1½ to 2 ft		.30	.25
imperialis, IMPERIAL SPEEDWELL	. 10	.00	•==0
2 to 3 ft	1.25	1.00	
1½ to 2 ft	1.00	.75	
1 to 1½ ft	.75	.60	
8 to 12 in		.50	
	•00	.00	
imperialis grandiflora 1 to 1½ ft	.75	.60	.50
	.10	.00	.00
traversi, BUSH SPEEDWELL	7 00		0.0
15 to 18 in	1.00	.75	.60
12 to 15 in		.60	.40
8 to 12 in			.40
6 to 8 in	.50	.40	
VIBURNUM odoratissimum, SWEET VIBURNUM			
2 to 3 ft	1.25	1.00	
1½ to 2 ft	1.00	.75	
rhytidophyllum, LEATHERLEAF VIBURNUM			
6 to 8 ft	2.00	1.50	
4 to 6 ft		1.25	
4 in. pot, 2 to 3 ft	.75	.60	.50
4 in. pot, 1½ to 2 ft	.60	.50	.40
4 in. pot, 1 to 1½ ft	.50	.40	.30
tinus, LAURUSTINUS			
2 to 3 ft	1.00	.80	.70
1½ to 2 ft	.85	.70	.60
1 to 1½ ft		.60	.50
8 to 12 in	.65	.50	.40
tinus lucidum (grandiflora), SHINING LAURUSTIN	IUS		
2 to 2½ ft		.85	.75
1 to 1½ ft		.60	

## FLOWERING FRUIT TREES

All plants in this section will be dug with bare roots.

(N. B. Our Flowering Cherries and Peaches are grown outside the borer district so can be shipped anywhere)

### FLOWERING APPLES

	each rate	10 rate	100 rate
MALUS floribunda, JAPANESE FLOWERING CRAB			
6 to 8 ft	1.00	\$ .75 .60	
3 to 4 ft	.60	.50	
halliana, HALL CRAB			
6 to 8 ft	1.25	1.00	.75 .60
3 to 4 ft	.75	.60	.50
2 to 3 ft	.65	.50	.40
halliana parkmani			
6 to 8 ft	1.50	1.25	
4 to 6 ft	1.00	.75	.60
3 to 4 ft	.75	.60	.50
2 to 3 ft	.65	.50	
ioensis bechteli, BECHTEL CRAB			
6 to 7 ft	1.50	1.25	
4 to 6 ft	1.25	1.00	.75
3 to 4 ft	1.00	.75	.65
2 to 3 ft	.75	.60	.50
1½ to 2 ft	.60	.50	.40
niedzwetzkyana, REDVEIN CRAB			
8 to 10 ft	1.25	1.00	
6 to 8 ft	1.00	.75	.65
4 to 6 ft	.75	.60	.50

	each	10	100
MALUS—Continued	rate	rate	rate
scheideckeri, SCHEIDECKER CRAB 6 to 8 ft	1.00	.75	
4 to 6 ft	.75	.60	
3 to 4 ftspectabilis, CHINESE FLOWERING CRAB	.60	.50	
6 to 8 ft	1.25	1.00	.75
4 to 6 ft	1.00	.75 .60	.60
"Large Flesh Pink"	.10	.00	
6 to 8 ft	1.00	.75	.60
4 to 6 ft	.75 .65	.60	.50
FLOWERING APRICOTS (JAPAN)	ESE)		
PRUNUS mume Dawn			
6 to 8 ft		1.00	
4 to 6 ft	1.00	.75	
Early Double Pink 6 to 8 ft	1.50	1.25	
3 to 4 ft	1.00	.75	
FLOWERING CHERRIES			
Campanulata—A magnificent new species from Forms other Cherry and even earlier than any Flowering Peach, pet or bell-shaped and genuinely red. The best novelty in	Flow	ers are sin	ole trum.
4 to 6 ft	2.50	2.00	1
3 to 4 ft	2.25	1.75	
2 to 3 ft	2.00	1.50	
Double Pink—An excellent but unidentified double J		se variety.	
3 to 4 ft	1.75	1.25	
2 to 3 ft	1.50	1.00	
James H. Veitch—(Prunus serrulata sachalinensis for gen, Benifugen, Fugenzo.) Large, double pink, rus	ngenzo filed p	o. Synonyr etals.	ns: Kofu-
4 to 6 ft	2.50	2.00	1.50
3 to 4 ft	2.00	$1.50 \\ 1.25$	1.25
1½ to 2 ft	1.25	1.00	- 13
Mt. Fuji—(Prunus lannesiana sirotae.; Shirotae.) D		white.	
3 to 4 ft		1.25	
2 to 3 ft	1.50	1.00	
Victory—(Prunus serrulata sachalinensis albo-roseo. both white and pink flowers; extremely large and	Syn. very	: Shirofuge double.	n). Bears
4 to 6 ft	2.50	2.00	1.50
3 to 4 ft		$1.50 \\ 1.25$	1.25
1½ to 2 ft		1.00	
Weeping, top grafted "Park Weeping"—An improvement on the common	n old	fachioned	wooning
cherry. Flowers deeper pink; growth better.  4 ft. stems, 1 yr. heads		1.75	weeping
FLOWERING PEACHES	2.00	1.10	
Assorted varieties as below			
6 to 7 ft	1.25	1.00	
4 to 6 ft	1.00	.80 .70	.75 .60
2 to 3 ft	.65	.50	100
	ble wl sicolor	nite. —red and	pink.
Weeping Flowering Peaches			
1 year heads, 3 to 4 ftDouble red. Versicolor—red and white.	1.25	1.00	
2 year heads, 4 to 5 ft	1.50	1.25	
	$1.25 \\ 1.00$	1.00 .75	
Double red. Versicolor—red and white.			

# DECIDUOUS TREES

All plants in this section will be due with			
All plants in this section will be dug with	each	roots.	100
ACER dasycarpum, SILVER MAPLE	rate	rate	rate
10 to 12 ft\$		\$1.25	
8 to 10 ft	1.25 $1.00$	.90 .75	.75
4 to 6 ft		.60	.60 .50
platanoides, NORWAY MAPLE			
8 to 10 ft	$\frac{1.50}{1.25}$	1.25	1.00
4 to 6 ft	1.00	1.00 .75	.75 .60
platanoides schwedleri, SCHWEDLER MAPLE (pur	ple le	aves)	
8 to 10 ft	1.50	1.25	1.00
3 to 4 ft	.75	.75 .60	.50
saccharum, SUGAR MAPLE			
saccharum, SUGAR MAPLE 6 to 8 ft	1.00	.75	.60
4 to 6 1t	.75	.60	.50
AESCULUS californica, CALIFORNIA BUCKEYE	0=	<b>~</b> 0	
3 to 4 ft	.65	.50 .40	
himmenstonum HODGECHEGENIUM	•••	•10	
4 to 5 ft	1.00	.75	
3 to 4 ft	.75	.60	
BETULA pendula (B. alba), EUROPEAN WHITE BIRCH	[		
8 to 10 ft	$\frac{2.00}{1.00}$	1.50	67
3 to 4 ft	.75	.75 .60	.65 .50
pendula gracilis, CUT LEAVED WEEPING BIRCH			
8 to 9 ft	2.50	2.00	1.75
7 to 8 ft	$\frac{2.00}{1.75}$	1.75 1.50	$1.50 \\ 1.25$
5 to 6 ft	1.50	1.25	1.00
4 to 5 ft	1.25 $1.00$	1.00	.75
pendula youngi, YOUNG'S WEEPING BIRCH	1.00	.75	.60
8 to 9 ft	2.50	2.00	
7 to 8 ft	2.00	1.75	
3 to 4 ft	1.00	.75	
CERCIS occidentalis, CALIFORNIA REDBUD 2 to 3 ft	.50	.40	
CATALPA speciosa, WESTERN CATALPA			
	1.00	.75	.60
6 to 8 ft	.75	.60	.50
4 to 6 ft	.65	.50 .40	.40 .30
CRATAEGUS, HAWTHORN			
The 2 year trees offered below are splendid. They we	ere cı	it back to	a uni-
form height at 1 year and carry beautiful, symmetrica	l, wel	ll developed	heads
on perfectly straight stems. This stock should bloom never grown or seen better trees of any kind. The		spring. Wall please a	
The 1 year trees are mainly straight whips.	y (1)	ii picase a	ny one.
carriere, CARRIERE HAWTHORN			
2 year buds, 4 to 6 ft	1.00	.60	
1 year buds, 6 to 8 ft	1.00	.75	.60
1 year buds, 4 to 6 ft	.75	.60	.50
coccinioides 2 year buds, 6 to 8 ft	1.00	7.5	
2 year buds, 4 to 6 ft	.75	.75 .60	
2 year buds, 3 to 4 ft	.60		
cordata (budded), WASHINGTON HAWTHORN	1.0"	1.00	75
2 year buds, 6 to 7 ft	1.25	1.00 .75	.75 .60
1 year buds, 6 to 8 ft	1.00	.75	.60
1 year buds, 4 to 6 ft	.75	.60 .50	.50 .40
cordata (4 year seedlings)	•00	.00	•40
6 to 8 ft	1.00	.65	.50
4 to 6 ft	.75	.50	.40

	each rate	10 rate	100
CRATAEGUS—Continued		Tate	rate
oxyacantha, Double Pink, DOUBLE PINK HAWTH  2 year buds, 6 to 8 ft	ORN 1 25	1.00	,85
2 year buds, 4 to 6 ft	1.00	.75	.60
1 year buds, 8 to 10 ft 1 year buds, 6 to 8 ft	1.00	.75	.60
1 year buds, 4 to 6 ft	.60	.60 .50	.50 .40
oxyacantha, Double White, DOUBLE WHITE HAV	VTHORN		***
2 year buds, 6 to 8 ft	1.25	1.00	.85
2 year buds, 4 to 6 ft	1.00	.75 1.00	,60
1 year buds, 6 to 8 ft	1.00	.75	.60
1 year buds, 4 to 6 ft		.60	.50
oxyacantha splendens, PAUL DOUBLE SCARLET 2 year buds, 8 to 10 ft			1.00
2 year buds, 6 to 8 ft	1.25	1.25 1.00	1.00 .75
2 year buds, 4 to 6 ft	1.00	.75	.60
1 year buds, 8 to 10 ft 1 year buds, 6 to 8 ft	75	.75 .60	.60 .50
1 year buds, 4 to 6 ft	60	.50	.40
pinnatifida major (new)			
1½ to 2 ft	50	,40	
FRAXINUS velutina, ARIZONA ASH			
4 to 6 ft		.60	
3 to 4 ft		,50	
		.35	
CINKGO biloba, MAIDENHAIR-TREE  12 to 14 ft	0.00	2 50	
10 to 12 ft	. 3.00	2.50 2.00	
		2.00	
LIQUIDAMBAR styraciflua, SWEET GUM 2 to 3 ft	. ,60	,50	
	00	•00	
MORUS alba pendula, WEEPING MULBERRY			
The 2 and 3 year trees are very strong with heads so cases the numerous drooping branches reach the grou The 1 year trees have fine stems, but very little deving branches.	nd. Exce	ellent value	
2 and 3 year buds, 6 to 7 ft	. 2.00	1.75	1.50
2 and 3 year buds, 5 to 6 ft 1 year buds, 6 to 7 ft	1.75	1.50	1.25
1 year buds, 6 to 7 ft	. 1.50	1.25	1.00
1 year buds, 5 to 6 ft	1.40	1.00	.90
PISTACIA chinensis, CHINESE PISTACHE		40	
4 in. pots, 3 to 4 ft	50	.40	
PLATANUS orientalis, EUROPEAN PLANETREE; EUL 2 and 3 year buds, 10 to 12 ft		SYCAMOR 1.50	E 1.25
8 to 10 ft		1.25	1.00
6 to 8 ft		.90	.75
4 to 6 ft	1.00	.70	.60
POPULUS nigra italica, LOMBARDY POPLAR Our trees are never pruned so carry all their branch	es from	the very bo	ttom up.
Trees so grown do not make the height that they was a little to their cost, but they are far superior, partial to 16 ft	cularly in	pruned. T n landscape 1.50	his adds work.
12 to 14 ft	1.50	1.25	1.00
10 to 12 ft 8 to 10 ft		1.00	.85
6 to 8 ft		.75 .60	.65 .50
4 to 6 ft		.50	,40
simoni fastigiata, NARROW SIMON POPLAR	1.00		
10 to 12 ft 8 to 10 ft		.75 .60	.60 .50
Flagnole Poplar (new)		****	
10 to 12 ft	1.25	1.00	.85
8 to 10 ft		.75 .60	.65
4 to 6 ft		.50	.40
3 to 4 ft		.40	.30
tremula pendula, WEEPING ASPEN	1 75	1 50	1.25
top grafted at 7 fttop grafted at 6 ft		1.50 1.25	1.25

	each rate	10 rate	100 rate
QUERCUS rubra, COMMON RED OAK 6 to 8 ft	1.25	1.00	
ROBINIA hispida macrophylla, SMOOTH ROSE-ACACIA top grafted on 7 ft. stem	2.25 2.00 1.75 1.25 1.00	1.75 1.50 1.25 1.00 .75	1.50 1.25 1.00
10 to 12 ft	2.00	1.50 .75	
pseudacacia, COMMON LOCUST 4 to 6 ft	.40	.30	.25
pseudacacia decaisneana, DECAISNE LOCUST, PINF 16 to 18 ft	X LOCUST 3.00 2.50 2.00 1.50 1.25 1.00	2.00 1.75 1.25 1.00 .90	1.75 1.50 1.00 .90 .75
SALIX babylonica, BABYLON WEEPING WILLOW  10 to 12 ft	1.50 1.25 1.00 .75	1.25 1.00 .75 .50	1.00 .85 .60 .40
SORBUS aucuparia, EUROPEAN MOUNTAIN-ASH  8 to 10 ft	1.59 1.25 1.00	1.25 1.00 .75	.60
TILIA americana, AMERICAN LINDEN 10 to 12 ft	1.75 1.00	1.50 .75	
ULMUS americana, AMERICAN ELM 12 to 14 ft	1.50 1.00 .75	1.00 .75 .60	.85 .60 .50

### **DECIDUOUS SHRUBS**

Unless otherwise noted all plants in this section will be dug with bare roots. each 10 100 rate rate rate CAESALPINIA gilliesi (Poinciana), BIRD OF PARADISE \$ .60 .40 .40 .35 CALYCANTHUS floridus, COMMON SWEETSHRUB .25 .30 .35 .20 CYDONIA japonica (seedlings), FLOWERING QUINCE 3 to 4 ft..... 1.00 .60 .50 2 to 3 ft..... .75 .50 .40 ,30 1½ to 2 ft..... .50 .40 1 to 1½ ft..... .40 .30 japonica Scarlet (cuttings) 4 to 5 ft..... 1.25 1.00 .25 .20 .40 .30 .30 .25 magnifica (new) 6 to 8 ft..... 1.00 1.25 4 to 6 ft..... 1.00 .75 1½ to 2 ft...... .50 .40 1 to 1½ ft..... .40 .35 rosea, ROSE PANICLE DEUTZIA 4 to 6 ft..... .75 40 3 to 4 ft..... .65 .50 .50 .30 .40 .30 scabra Pride of Rochester 4 to 6 ft..... .50 .40 .30 3 to 4 ft..... .40 .30 .30 25 .25 .20 FORSYTHIA intermedia, BORDER FORSYTHIA 6 to 8 ft..... 4 to 6 ft..... .75 .60 3 to 4 ft..... .60 .50 intermedia spectabilis, SHOWY BORDER FORSYTHIA .75 1.25 1.00 6 to 8 ft..... 4 to 6 ft..... .75 .60 3 to 4 ft..... .50 .75 .60 2 to 3 ft..... .65 .50 .50 .35 suspensa fortunei, FORTUNE WEEPING FORSYTHIA 6 to 8 ft..... .75 .60 4 to 6 ft..... .60 .50 HIBISCUS syriacus, SHRUB ALTHEA—assorted varieties 2 to 3 ft..... .65 HYDRANGEA paniculata grandiflora, PEEGEE 1½ to 2 ft..... .50 .40 1 to 1½ ft. 8 to 12 in. .30 .40 .25 .30 KERRIA japonica fl. pl., DOUBLE KERRIA 3 to 4 ft..... .50 2 to 3 ft..... .40 .60 1½ to 2 ft..... .35

	each rate	10 rate	100 rate
PHILADELPHUS coronarius, SWEET MOCKORANGE			14.0
6 to 8 ft	.75 .65	.60 .50	
3 to 4 ft	.50	.35	
2 to 3 ft	.40	.20	
grandiflorus, BIG SCENTLESS MOCKORANGE 4 to 6 ft	.75	.50	.40
3 to 4 ft	.50	.35	.30
speciosus (large flowered)			
4 to 6 ft	.75	.50	
Avalanche	.40	.25	
4 to 6 ft	.75	.50	
3 to 4 ft		.40	
Bouquet Blanc 4 to 6 ft	.75	E 0	
3 to 4 ft		.50 .40	
Dame Blanche			
2 to 3 ft		.35	
1½ to 2 ft	.40	.25	
Favorite 6 to 8 ft	1.00	.75	
4 to 6 ft		.50	.40
Girandole			
4 to 5 ft	.75		
Mont Blanc 3 to 4 ft	60	.40	
2 to 3 ft		.30	
Sylvaine			
3 to 4 ft			
2 to 3 ft	50	.35	
PUNICA granatum, FLOWERING POMEGRANATE Double Yellow			
6 to 8 ft		.50	
4 to 6 ft		.40 .30	
Double Scarlet	40	.00	
4 to 6 ft	. 1.00	.75	
3 to 4 ft		.50	0.5
2 to 3 ft		.40 .35	.35
Mme. Legrelle (double flowers variegated red and y		.00	
4 to 6 ft	. 1.00	.75	
2 to 3 ft		.50	
1½ to 2 ftgranatum nana, DWARF POMEGRANATE	50	.40	
balled, 1½ to 2 ft	. 1.00	.75	
balled, 8 to 12 in	60	.50	
balled, 6 to 8 in	50	.40	
SALIX caprea, FRENCH PUSSY WILLOW			
8 to 10 ft		.50 .40	.40 .35
4 to 6 ft		.35	.00
vitellina aurea, RUSSIAN GOLDEN WILLOW			
6 to 8 ft		.50	
4 to 6 ft	50 40	.40 .30	
SPIREA Anthony Waterer 2 to 3 ft	75	.50	.40
1½ to 2 ft		.40	.35
1 to 1½ ft	50	.35	.30
8 to 12 in	40	.30	
billiardi, BILLIARD SPIREA 4 to 5 ft	50	.30	.25
3 to 4 ft	40	.25	
froebeli, FROEBEL SPIREA			2 45
2 to 2½ ft	60	.40 .35	.30 .25
1 to 1½ ft	40	.25	.20
prunifolia plena, DOUBLE BRIDALWREATH			
1½ to 2 ft	50	.40	
1 to 1½ ft	40	.30	

	each	10	100
SPIREA—Continued	rate	rate	rate
reevesiana lanceolata, DOUBLE REEVES SPIREA			
3 to 4 ft	.75	.50	.40
2 to 2½ ft	.60	.40	.35
1½ to 2 ft	.50	.30	.25
	,,,,		(100
thunbergi, THUNBERG SPIREA	.60	.40	
2 to 3 ft	.00	.40	
vanhouttel, VANHOUTTE SPIREA		4.7	
4 to 5 ft	.75	.50	.40
3 to 4 ft	.60	.40	,35
2 to 3 ft	.50	.35	,30
SYRINGA chinensis (rothomagensis), CHINESE LILAC			
4 to 6 ft	1.00	.75	
3 to 4 ft	.75	.60	
2 to 3 ft	.65	.50	
1½ to 2 ft	.50	.40	
persica, PERSIAN LILAC			
4 to 5 ft	1.00	.75	
3 to 4 ft	,75	,60	
vulgaris, COMMON LILAC (purple)			
3 to 4 ft	.75	.60	.50
2 to 3 ft	.60	.50	,46
vulgaris, Named Varieties, General Collection			
2 and 3 year buds, 5 to 6 ft	2.00	1.50	
2 and 3 year buds, 4 to 5 ft	1.50	1.25	
2 and 3 year buds, 3 to 4 ft	1.25	1.00	.85
2 and 3 year buds, 2 to 3 ft	1.00	.75	
2 and 3 year buds, 1½ to 2 ft	.75	.60	
1 year buds	.60	.50	.40
1926 set, 2 and 3 year buds, 4 to 5 ft		1.50	
1926 set, 2 and 3 year buds, 3 to 4 ft	1.50	1.25	
1926 set, 2 and 3 year buds, 2 to 3 ft	1.25	1.00	
1926 set, 2 and 3 year buds, 1½ to 2 ft	1.00	.75	
1926 set, 1 year buds		.60	.50
1927 set, 1 year buds.		.75	,00
Louis Louis Louis Dudge	7.104		

## GENERAL COLLECTIONS OF NAMED VARIETIES OF LILACS Double:

CHAS. SARGENT—Violet mauve blended sky blue; enormous flowers and clusters. GEORGES BELLAIR—Buds bright carmine, opening to reddish purple; dwarf habit. HIPPOLYTE MARINGER—Purplish-mauve; compact flowers; very free.

JEAN BART-Rosy-violet, buds carmine.

LA TOUR D'AUVERGNE-Dark lilac, good.

PERLE VON STUTTGART—Pure White. SOUV. DE LUDWIG SPAETH—Dark Purple.

LEON GAMBETTA-Pink-lilac, early; round, regular imbricated flowers.

MAXIMOWICZ-Violet-heliotrope, reverse silvery; enormous flowers.

MISS ELLEN WILLMOTT-Snow white; elegant spikes; fine large flowers.

ROSEA GRANDIFLORA-Rosy-lilac; fine panicles; early.

VICTOR LEMOINE-Azure-mauve, fading paler; beautiful large flowers.

#### Single:

CHRISTOPHER COLUMBUS—Light lilac, buds purple; very fine and large. CONDORCET—Semi-double, bluish mauve; flowers and thyrses large. DE MIRIBEL—Dark bluish-violet; long compact panicles; very fine. DR. BREITSCHNEIDER—Purple in bud, opening pale pink; late. DR. LINDLEY—Brilliant violet-purple, buds red; very beautiful. EDMOND BOISSIER—Purple lilac, purplish-carmine buds; flowers large. GLOIRE DE LORRAINE—Dark lilac; late. LUTECE—Pink; very late. MARIE LEGRAYE—White; very early. NIGRICANS—Lilac; fine.

21

### NEW VARIETIES-1926 Set

The varieties marked \* belong to a new class of Lilac, the "Early Lilacs," a cross between one of the early flowering Lilacs and Syringa Giraldi; this latter Lilac has been recently introduced from China and is remarkable for its flowering a week or two before the other sorts. This cross originated a new race of tall growing Lilacs which expand their flowers before those now known.

\*BERRYER-Semi-double; long thyrses of mauve flowers.

\*CLAUDE BERNARD-Double or semi-double; bright mauve lilac.

EMILE GENTIL—Double; large imbricated flowers, bright cobalt-blue; a very rare shade among Lilacs.

JEAN MACE—Double; broad, compact panicles, irregular flowers, changing to bluish; an early and very floriferous variety.

\*LAMARTINE—Single; large clusters of rosy-mauve flowers; a very strong grower.

MARECHAL LANNES—Double; a most beautiful variety with very large individual flowers; semi-double to double; bluish violet.

\*MIRABEAU-Single; mauve, the earliest of all.

\*PASCAL-Single; pure lilac; very free.

PRESIDENT FAILLIERES-Double; immense clusters; pale lavender.

PRESIDENT LOUBET—Double; large purple flowers with red buds, a very distinct variety.

\*VAUBAN—Double; tender pinkish mauve.

VESTALE-Single; large pure white panicles, perfectly shaped flowers.

### NEWEST VARIETIES-1927 Set

Offered for the first time; only one year buds available this season.

Varieties marked \* are "Early Lilacs," as described above.

\*BUFFON-Single; mauve pink; elegant flowers with reflexed lobes.

\*DESCARTES-Single; mauve pink. Exceedingly free blooming.

DIDEROT—Single; claret purple. Flowers large in enormous clusters up to a foot long.

EDITH CAVELL—Double; milk white. Buds tinted deep cream. Handsome clusters with fine individual flowers.

HUGO KOSTER—Single; dark reddish purple, individual flowers large.

\*LOUVOIS—Single; violet purple suffused blue. Flowers very large in ample clusters. MONTAIGNE—Double; pinkish mauve. Very large clusters.

MONT BLANC—Single; pure white. Clusters large, flowers enormous. Possibly the best white to date.

WALDECK-ROUSSEAU-Double; deep violet flowers, borne in long trusses.

	each	10	100
	rate	rate	rate
TAMARIX pentandra, FIVE STAMEN TAMARIX			
6 to 8 ft	1.00	.75	
3 to 4 ft	.65	.50	
2 to 3 ft	.50	.40	
VIBURNUM opulus sterile, COMMON SNOWBALL			
1½ to 2 ft	.65	.50	
1 to 1½ ft	.50	.40	.35
WEIGELA Conquete		750	
4 to 6 ft		.75	
3 to 4 ft	.75	.60	
nana variegata, DWARF VARIEGATED WEIGELA			
1 to 1½ ft	.40		
8 to 12 in	.30	.25	
praecox floreal (new, red)			
3 to 4 ft	1.00	.75	
Assorted	2.00	•••	
4 to 5 ft	.75	.50	.40
3 to 4 ft	.79	.40	.35
2 to 3 ft	.40	.30	.25
			.20
amabilis (Rose Weigela) gigantif			
	Pink Wei	gela)	
Chameleon, pink to white			

# CLIMBERS

	each rate	10 rate	100 rate
AMPELOPSIS tricuspidata, JAPANESE CREEPER, BOST 3 in. pot, 1½ to 2 ft\$	ON IVY	\$ .20	\$ .15
BIGNONIA grandiflora, CHINESE TRUMPET CREEPER 4 in. pot, 2 to 3 ft	.50	.40	
BOUGAINVILLEA spectabilis 4 in. pot, 1 to 1½ ft	.75	.50	
EUONYMUS radicans acutus, SHARPLEAF WINTERCRE 4 in, pot, 11/2 to 2 ft	EPER	.25	.20
radicans vegetus, BIGLEAF WINTERCREEPER 4 in. pot, 1½ to 2 ft	.40	.25	.20
GELSEMIUM sempervirens, CAROLINA JESSAMINE 4 in. pot, 1 to 1½ ft	40	20	
HARDENBERGIA comptoniana	.40	.30	
4 in. pot, 3 to 4 ftmonophylla alba	.75	.50	
5 in. pot, 2 to 3 ft	.40	.30	.25
JASMINUM beesianum, ROSY JASMINE	.50	.40	.35
4 in. pot, 4 to 5 ft	.50	.30	.25
4 in. pot, 3 to 4 ft	.40	.25	.20
4 in. pot, 2 to 3 ft	.35	.20	.18
4 in. pot, 1½ to 2 ftprimulinum, PRIMROSE JASMINUM	.25	.18	.15
4 and 5 in. pot, 3 to 4 ft	.50	.35	
4 in. pot, 2 to 3 ft	.40	.30	.25
4 in. pot, 1½ to 2 ft	.35	.25	.20
LONICERA japonica aureoreticulata, YELLOWNET JAPA 4 in. pot, 3 to 4 ft	NESE HO	ONEYSUO	CKLE
		.20	
japonica chinensis, HALL JAPANESE HONEYSUCI		20	95
4 in. pot, 3 to 4 ft	.40	.30	.25
4 in. pot, 2 to 3 ft"  "Scarlet Trumpet"	.35	.25	.20
balled, 2 to 3 ft	.50	.40	
balled, 1½ to 2 ft	.40	.35	
balled, 1 to 1½ ft	.35	.30	1.0
4 in. pot, 2 to 3 ft	.40	.30	.25
balled, 1 to 1½ ft	.35	.25	.20
PHILADELPHUS mexicana, MEXICAN MOCKORANGE balled, 2 to 3 ft	.75	.50	
SOLANUM jasminoides, JASMINE NIGHTSHADE			
4 in. not. 2 to 3 ft	.35	.25	
4 in. pot, 2 to 3 ft	.30	.20	
SOLLYA heterophylla, AUSTRALIAN BLUEBELL CREEP	ER		
4 in. pot, 1½ to 2 ft	.40	.30	
WISTERIA—Grafted stock			
floribunda violacea plena, DOUBLE PURPLE WISTE	RIA		
	2.00	1.50	
multijuga alba, WHITE JAPANESE WISTERIA	1.25	1.00	
multijuga longissima			
	1.50	1.25	
field grafts, 3 to 4 ft	1.25	1.00	
field grafts, 2 to 3 ft	1.00	.75	
multijuga rosea, PINK JAPANESE WISTERIA 2 year	2.00	1.50	
sinensis, CHINESE WISTERIA			
	1.25	1.00	.90
2 year, No. 1	1.00	.75	.65
2 year, No. 2	.85	.65	.50
venusta, SILKY WISTERIA (white)	1 04	4.00	
	1.25	1.00	.90

WISTERIA-Grafted stock-Continued				
W151Enia—Graned Stock—Continued	each	10	100	
	rate	rate	rate	
COTT 1 A 1	rate	rate	rate	
"West Adams"				
4 to 5 ft	1.50	1.25		
3 to 4 ft	1.25	1.00		
2 to 3 ft	1.00	.75		
Mrs. McCullough				
3 year	2.00	1.50		
2 year		1.25	1.00	
4 JCal	1.10	1.20	1.00	
WISTERIA—Seedlings				
multijuga, 3 to 5 years old				
	1.25	1.00	.75	
3 to 4 ft				
2 to 3 ft		.75	.60	
1½ to 2 ft	.75	.60		
sinensis, 2 and 3 year old				
2 to 3 ft	1.00	.75	.60	
4 to 0 to				
1½ to 2 ft	.75	.60	.50	
1 to 1½ ft	.60	.50	.40	

### **MISCELLANEOUS**

Unless otherwise noted all plants in this section will be balled at prices quoted.

	each	10	100
	rate	rate	rate
DRACAENA, Common Type			
5 to 6 ft\$	2.50	\$1.75	\$1.50
4 to 5 ft	2.00	1.25	1.00
3 to 4 ft	1.50	1.00	.85
2 to 3 ft	1.25	.85	.75
5 in. pot, 2 to 3 ft	.5.0	.40	.35
5 in. pot, 1½ to 2 ft	.40	.30	.25
HESPEROYUCCA whipplei, CHAPARRAL YUCCA			
3 years old, 4 in. pot, 1½ to 2 ft	.50	.35	.30
3 years old, 4 in. pot, 1 to 1½ ft	.40	.30	.25

### ROSES

We grow and handle roses very extensively, both budded and on their own roots.

Our assortment of varieties is one of the most complete in the country including all the old ones that are good and practically everything in American and European.

Everyone interested in or handling roses should have our list. If you have no copy on file write us for LIST 2711 and we will mail it promptly.

Address all correspondence to

W. B. CLARKE & SON BOX 343, SAN JOSE, CALIF.